Outline

Notation

Examples

Addition and scalar multiplication

Inner product

Complexity

Vector addition

- n-vectors a and b can be added, with sum denoted $a + b$
- to get sum, add corresponding entries:

$$\begin{bmatrix} 0 \\ 7 \\ 3 \end{bmatrix} + \begin{bmatrix} 1 \\ 2 \\ 0 \end{bmatrix} = \begin{bmatrix} 1 \\ 9 \\ 3 \end{bmatrix}$$

- subtraction is similar

Properties of vector addition

- *commutative*: $a + b = b + a$
- *associative*: $(a + b) + c = a + (b + c)$
  (so we can write both as $a + b + c$)
- $a + 0 = 0 + a = a$
- $a - a = 0$

these are easy and boring to verify

Adding displacements

if 3-vectors a and b are displacements, $a + b$ is the sum displacement



Displacement from one point to another

displacement from point q to point p is $p - q$



Scalar-vector multiplication

- scalar β and n-vector a can be multiplied

$$\beta a = (\beta a_1, \ldots, \beta a_n)$$

- also denoted $a\beta$
- example:

$$(-2)\begin{bmatrix} 1 \\ 9 \\ 6 \end{bmatrix} = \begin{bmatrix} -2 \\ -18 \\ -12 \end{bmatrix}$$

Properties of scalar-vector multiplication

- associative: $(\beta\gamma)a = \beta(\gamma a)$
- left distributive: $(\beta + \gamma)a = \beta a + \gamma a$
- right distributive: $\beta(a + b) = \beta a + \beta b$

these equations look innocent, but be sure you understand them perfectly

Linear combinations

- for vectors $a_1, \ldots, a_m$ and scalars $\beta_1, \ldots, \beta_m$,

$$\beta_1 a_1 + \cdots + \beta_m a_m$$

  is a *linear combination* of the vectors
- $\beta_1, \ldots, \beta_m$ are the *coefficients*
- a *very* important concept
- a simple identity: for any n-vector b,

$$b = b_1 e_1 + \cdots + b_n e_n$$

Example

two vectors a_1 and a_2, and linear combination $b = 0.75a_1 + 1.5a_2$



Replicating a cash flow

- $c_1 = (1, -1.1, 0)$ is a \$1 loan from period 1 to 2 with 10% interest
- $c_2 = (0, 1, -1.1)$ is a \$1 loan from period 2 to 3 with 10% interest
- linear combination

  $$d = c_1 + 1.1c_2 = (1, 0, -1.21)$$

  is a two period loan with 10% compounded interest rate
- we have *replicated* a two period loan from two one period loans

Outline

Inner product

- *inner product* (or *dot product*) of n-vectors a and b is

$$a^T b = a_1 b_1 + a_2 b_2 + \cdots + a_n b_n$$

- other notation used: $\langle a, b \rangle$, $\langle a | b \rangle$, (a, b), $a \cdot b$
- example:

$$\left[\begin{array}{r} -1 \\ 2 \\ 2 \end{array}\right]^T \left[\begin{array}{r} 1 \\ 0 \\ -3 \end{array}\right] = (-1)(1) + (2)(0) + (2)(-3) = -7$$

Properties of inner product

- $a^T b = b^T a$
- $(\gamma a)^T b = \gamma (a^T b)$
- $(a+b)^T c = a^T c + b^T c$

can combine these to get, for example,

$$(a+b)^T (c+d) = a^T c + a^T d + b^T c + b^T d$$

General examples

- $e_i^T a = a_i$ (picks out ith entry)
- $\mathbf{1}^T a = a_1 + \cdots + a_n$ (sum of entries)
- $a^T a = a_1^2 + \cdots + a_n^2$ (sum of squares of entries)